

VNC Viewer




© 2009 Motorola, Inc. and Eldorateo L v097013(M)109701**B2M).0**013(a)-3.35871(d)-1.35818(e)-4 0337 Mv097013(M)ailabdehe

© 2009 Motorola, Inc. al a El a6112.1996(o)4.7899(a)7241d99(a)-18(1996(o)4.99(0)0.77(.)[o)9033(e)-00351d99s(2.67521(e)-. acl II4(t)-12011(i)7..2331((M)-8.1858(a)-3.3587(a)-18(199e)-003377013(a)-3.3587v(9)0.09701(a)-3.3587i(1)-4.70364(1)-4.70366(a)-3.3587b(1)-3.32654(1)-4.7036e

Session 1: Device Framework Step 5: Wizard



Session 1: Device Framework Step 5: Wizard



© 2009 Motorola, Inc. and Eldorado Research Institute.

© 2009 Motorola, Inc. and Eldorado Research Institute.


Session 3: Protocol Framework

 $13(M) - 8.1899(a) - 3.35724(d) - 1.35003(e) - 37097099(a) - 3.35v13(9) \\ 0.09799(a) - 3.35i54(l) - 4.70654(l) - 4.70366(a) - 3.35b54(l) - 32.7654(l) - 4.70003(e) - 37097054(l) - 129(a) - 3.35b54(l) - 3.35b54(l)$

© 2009 Motorola, Inc. and Eldorado ReserbritInst

© 2009 Motorola, Inc. and Eldorado Research Institute.






© 2009 Motorola, Inc. and Eldorado Research Institu

© 2009 Motorola, Inc. and Eldorado Research Institute.

Session 3: Protocol Framework Step 2: Create the Message extensions



9(1)4.4.8268(n)-3.1098\$(2009723337676740,13(999(,)19700)0.0n)-3.10983(d)4.700 Eadl

Step 3: Create a Message Direction extension



© 2009 Motorola, Inc. and Eldorado Research Institute.

Feedback and Discussion

 $^{\odot}$ 2009 Motorola, Inc. and Eldorad & Made