

Technology JGit IP LOG

Release 0.7.0

```
<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<iplog:iplog name="technology.jgit"
xmlns:iplog="http://www.eclipse.org/projects/xml/iplog">
  <iplog:project id="technology.jgit" name="JGit" version="0.7.0"/>
  <iplog:meta key="git-commit"
value="48af6a5f539f66e6880a862f046160e5d4ee9af4"/>
```

Project License:

```
<iplog:license id="Eclipse Distribution License v1.0"/>
```

Third Party Content:

```
<iplog:cq description="args4j Version: 2.0.12" id="3454" license="BSD
License" state="approved" use="unmodified binary"/>
```

```
<iplog:cq description="Java Servlet API Version: 2.5 (PB CQ2075)"
id="3565" license="Apache License, 2.0" state="approved"
use="unmodified binary"/>
```

```
<iplog:cq description="JSch Version: 0.1.41 (PB CQ3040)" id="3654"
license="New BSD license" state="approved" use="unmodified binary"/>
```

```
<iplog:cq description="JUnit Version: 3.8.2 (PB CQ2206)" id="3655"
license="Common Public License 1.0" state="approved" use="unmodified
binary"/>
```

Committers:

```
<iplog:committer active="true" firstName="Chris" hasCommits="true"
id="zx" lastName="Aniszczyk"/>
<iplog:committer active="true" firstName="Christian"
hasCommits="true" id="christian.halstrick" lastName="Halstrick"/>
<iplog:committer active="true" firstName="Gunnar" hasCommits="false"
id="gunnar" lastName="Wagenknecht"/>
<iplog:committer active="true" firstName="Matthias" hasCommits="true"
id="msohn" lastName="Sohn"/>
<iplog:committer active="true" firstName="Robin" hasCommits="true"
id="robinrosenberg" lastName="Rosenberg"/>
<iplog:committer active="true" firstName="Shawn" hasCommits="true"
id="spearce" lastName="Pearce"/>
<iplog:committer active="true" firstName="Stefan" hasCommits="false"
id="stefanlay" lastName="Lay"/>
```

Contributions:

```
<iplog:contributor id="alex.blewitt@gmail.com" name="Alex Blewitt">
  <iplog:bug created="2009-10-19 01:48:00"
id="4d91645e890527efbe04ffaeel2b4aa3637733c4" size="+652 lines"
summary="Remove trailing whitespace at end of line" type="A"/>
</iplog:contributor>

  <iplog:contributor id="zx@eclipsesource.com" name="Chris Aniszczyk">
  <iplog:bug bug-id="291108" created="2009-10-01 14:12:50"
id="4cfc7baf9ee56a282232a243c1bcc5931aa9ea75" size="+17 lines"
summary="Cleanup MANIFEST.MF in JGit" type="A"/>
</iplog:contributor>

  <iplog:contributor id="constantine.plotnikov@gmail.com"
name="Constantine Plotnikov">
  <iplog:bug created="2009-10-08 09:12:08"
id="982515cf10dfbdfb9b40cb3582dfc54e2855a79d" size="+10 lines"
summary="Make the default encoding when reading commits UTF-8"
type="A"/>
  <iplog:bug bug-id="295077" created="2009-11-13 06:30:08"
id="063e7206682b77327a1635516a169caa8f514864" size="+3 lines"
summary="Added -crfl attribute for DiffFormatterReflowTest test data"
type="A"/>
  <iplog:bug bug-id="300397" created="2010-01-21 10:06:54"
id="cc64794b245a094175d817bce6b581d4dddb47cf" size="+276 lines"
summary="Added caching for loose object lookup during pack indexing"
type="A"/>
</iplog:contributor>

  <iplog:contributor id="igor@ifedorenko.com" name="Igor Fedorenko">
  <iplog:bug created="2009-12-04 22:07:42"
id="96c7f75fade2bd36a0e7d9dbb2064de0ed452021" size="+110 lines"
summary="Flipped jgit.core to manifest-first maven-3/tycho build"
type="A"/>
  <iplog:bug created="2009-12-18 16:06:38"
id="53f3632f604d50e2f37b2fed9a1476bb2b55bd22" size="+1 line"
summary="Use Tycho version 0.6.0" type="A"/>
  <iplog:bug created="2010-01-06 15:51:39"
id="b427e32c188ecdfed1b0eb75785cb387b13eae26" size="+1 line"
summary="Use build timestamp as OSGi version qualifier for SNAPSHOT
builds" type="A"/>
  <iplog:bug created="2010-01-06 18:18:44"
id="7085c0e4acb70b7d4a07e99d7a9bea3554d0fc62" size="+5 lines"
summary="Explicitly release resources used by java.util.zip.Deflater"
type="A"/>
</iplog:contributor>
```

```
<iplog:contributor id="johannes.schindelin@gmx.de" name="Johannes
Schindelin">
  <iplog:bug bug-id="291083" created="2009-09-03 03:46:31"
id="9c056fcace49f4c111cad8a49399a113fb083f30" size="+39 lines"
summary="Add set to IntList" type="A"/>
  <iplog:bug bug-id="291083" created="2009-09-03 03:46:41"
id="d8a3b4eb310fd8f160c858ddb5c1160a29a14546" size="+469 lines"
summary="Add Myers' algorithm to generate diff scripts" type="A"/>
  <iplog:bug bug-id="291083" created="2009-09-03 03:46:51"
id="1a03c864a6c82ed76ebfe9504d983f5741d75032" size="+109 lines"
summary="Add a test class for Myers' diff algorithm" type="A"/>
  <iplog:bug bug-id="291083" created="2009-09-03 03:47:01"
id="e34865b88b02bb5937f8ac815fe065ebe8e9d47b" size="+27 lines"
summary="Prepare RawText for diff-index and diff-files" type="A"/>
  <iplog:bug bug-id="291083" created="2009-09-03 03:47:08"
id="a3aa43ecb164d13679b9ee33fb8626c82dea7f8c" size="+142 lines"
summary="Add the &quot;jgit diff&quot; command" type="A"/>
</iplog:contributor>

<iplog:contributor id="fonseca@diku.dk" name="Jonas Fonseca">
  <iplog:bug created="2009-09-20 06:34:37"
id="36b0dcf6cbae6ba25a96bf2b2bd5251f7af8904d" size="+14 lines"
summary="Make it possible to clear a PlotCommitList" type="A"/>
</iplog:contributor>

<iplog:contributor id="mn@mn.com.ua" name="Mykola Nikishov">
  <iplog:bug created="2009-10-02 02:18:15"
id="956b12403d4ab732d6bc6d2f6194ed06f2665966" size="+126 lines"
summary="Add org.eclipse.jgit-feature" type="A"/>
  <iplog:bug bug-id="291124" created="2009-10-09 11:57:59"
id="cf2edb65180b66bb191a7db1dfa24eeb5801d246" size="+1199 lines"
summary="Move AWT UI code to new org.eclipse.jgit.ui bundle" type="A"/>
  <iplog:bug bug-id="291133" created="2009-10-15 01:41:21"
id="5208e50b4ecabf1e530d5a1f1270fd28741e44d2" size="+3 lines"
summary="Add gitignore to constants" type="A"/>
  <iplog:bug created="2009-11-25 12:37:02"
id="7eef835ad50971bf6ecc3fcff2ebd9558757c28f" size="+8 lines"
summary="Replace a hard-coded default remote's name with a constant"
type="A"/>
  <iplog:bug created="2009-12-09 17:28:07"
id="f8f75f8a52a30cf2a7d793ba15cd74410ba64534" size="+2 lines"
summary="Ignore target/ folder and compile.org.eclipse.jgit.xml"
type="A"/>
  <iplog:bug created="2009-12-17 15:03:51"
id="21b6f3434ebc84f493405d890a3768d55375a721" size="+178 lines"
summary="Method to get a 'humanish' name from a path" type="A"/>
</iplog:contributor>

<iplog:contributor id="nsallembien@google.com" name="Nico
Sallembien">
  <iplog:bug created="2009-12-22 11:02:24"
id="a8817ed77f087bf9eec39c315f29f4537eb9b730" size="+2 lines"
summary="Fix typo in ReceivePack.java" type="A"/>
  <iplog:bug created="2010-02-09 09:53:53"
id="e54d33b6873f0b392640f9200398861210ac9374" size="+129 lines"
summary="Add a RefFilter interface to ReceivePack and UploadPack"
type="A"/>
</iplog:contributor>
```

```
<iplog:bug created="2010-02-09 15:01:27"  
id="19126f70e9e5645278b38239c01d990c32d44af2" size="+121 lines"  
summary="Allow users of ReceivePack access to the objects being sent"  
type="A"/>
```

```
</iplog:contributor>
```

```
<iplog:contributor id="sasa.zivkov@sap.com" name="Sasa Zivkov">  
<iplog:bug created="2009-09-29 07:03:40"  
id="96690904f53241e825a29be9558be319a0bbfba1" size="+26 lines"  
summary="Include description for missing bundle prereqs" type="A"/>
```

```
<iplog:bug created="2009-10-09 05:43:45"  
id="99ab22c474ffccbddd9081959b80f3b4bd1967c84" size="+0 lines"  
summary="Don't create .git/remotes folders on init" type="A"/>
```

```
<iplog:bug created="2010-03-11 06:19:34"  
id="2ae9a85045915a38af2c300aa1874304fd8ea17b" size="+1125 lines"  
summary="Provide NLS support in JGit." type="A"/>
```

```
</iplog:contributor>
```

```
</iplog:iplog>
```